According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 1 of 11

### **UVPoxy Part B**

### **SECTION 1: Identification**

### **Product identifier**

**Product name:** UVPoxy Part B **Product code:** EPUVH10

## Recommended use of the product and restriction on use

**Relevant identified uses:** Hardener for Epoxy Resins **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

## Manufacturer or supplier details

Manufacturer:Supplier:CanadaUnited StatesEcoPoxy IncEcoPoxy USA, IncBox 2207003 114th Ave. N.Morris, Manitoba R0G1K0Largo , Florida 33773855-326-76991-855-326-7699info@ecopoxy.cominfo@ecopoxy.comhttp://www.ecopoxy.comhttp://www.ecopoxy.com

### **Emergency telephone number:**

### **United States**

ChemTel Inc (US) +1 800 255 3924 (24)

# SECTION 2: Hazard(s) identification

## **GHS** classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

### Label elements

## **Hazard pictograms:**







# Signal word: Danger Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H335 May cause respiratory irritation

### **Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 2 of 11

### **UVPoxy Part B**

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 Immediately call a POISON CENTER/doctor/...

P321 Specific treatment (No specific treatment)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER/doctor/.../if you feel unwell

P405 Store locked up

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 84852-15-3	4-nonylphenol, branched	<60
CAS number: 9046-10-0	Poly(propylene glycol) bis(2-aminopropyl ether)	<60

Additional Information: None

## **SECTION 4: First aid measures**

# **Description of first aid measures**

## General notes:

Show this Safety Data Sheet to the doctor in attendance.

## After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After skin contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

## After eye contact:

Initial preparation date: 02.12.2021 Page 3 of 11

## **UVPoxy Part B**

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

# Most important symptoms and effects, both acute and delayed Acute symptoms and effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

### **Delayed symptoms and effects:**

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

### Immediate medical attention and special treatment

## Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

If respiratory symptoms persist, seek medical attention.

## Notes for the doctor:

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## **Extinguishing media**

## **Suitable extinguishing media:**

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

### Unsuitable extinguishing media:

Do not use water jet.

## Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### **Special protective equipment for firefighters:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 4 of 11

### **UVPoxy Part B**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

# **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

## **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## **SECTION 7: Handling and storage**

### Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not

## Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 5 of 11

### **UVPoxy Part B**

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### **Occupational Exposure limit values:**

No occupational exposure limits noted for the ingredient(s).

### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Not determined or not applicable.

## Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

## **Personal protection equipment**

### Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

## Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### **General hygienic measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 6 of 11

**UVPoxy Part B** 

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance	Colorless Viscous Liquid
Odor	Ammonia like
Odor threshold	Not Determined or Unavailable
рН	Alkaline
Melting point/freezing point	Not Determined or Unavailable
Initial boiling point/range	>232°C (446°F)
Flash point (closed cup)	128°C (262°F) Closed cup
Evaporation rate	Not Determined or Unavailable
Flammability (solid, gas)	Not Determined or Unavailable
Upper flammability/explosive limit	Not Determined or Unavailable
Lower flammability/explosive limit	Not Determined or Unavailable
Vapor pressure	Approximately 5 mm Hg @ 154°C
Vapor density	Approximately 1 (Air=1)
Density	8 lbs per gallon
Relative density	0.98 (water = 1)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not Determined or Unavailable
Auto/Self-ignition temperature	Not Determined or Unavailable
Decomposition temperature	Not Determined or Unavailable
Dynamic viscosity	900-1000 cP@ 25°C (77°F) Brookfield
Kinematic viscosity	Not Determined or Unavailable
Explosive properties	Not Determined or Unavailable
Oxidizing properties	Not Determined or Unavailable

### Other information

## SECTION 10: Stability and reactivity

# Reactivity:

Not reactive under recommended handling and storage conditions.

## Chemical stability:

Stable under recommended handling and storage conditions.

## Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

## Conditions to avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

## Incompatible materials:

None known.

## Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 7 of 11

**UVPoxy Part B** 

## **SECTION 11: Toxicological information**

### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
4-nonylphenol, branched	oral	LD50 Rat: 1300 mg/kg
Poly(propylene glycol) bis(2-	oral	LD50 Rat: 242 mg/kg
aminopropyl ether)	dermal	LD50 Rabbit: 360 mg/kg

### Skin corrosion/irritation

#### Assessment:

Causes severe skin burns and eye damage.

# **Product data:**

No data available.

## **Substance data:**

Name	Result
4-nonylphenol, branched	Causes severe skin burns.
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes severe skin burns.

## Serious eye damage/irritation

### **Assessment:**

Causes serious eye damage.

### Product data:

No data available.

# **Substance data:**

Name	Result
4-nonylphenol, branched	Causes serious eye damage.
Poly(propylene glycol) bis(2-aminopropyl ether)	Causes serious eye damage

# Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data: No data available.

## Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data: No data available.

## International Agency for Research on Cancer (IARC):

Name	Classification
4-nonylphenol, branched	Not Applicable

## **National Toxicology Program (NTP):**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 8 of 11

## **UVPoxy Part B**

Name	Classification
4-nonylphenol, branched	Not Applicable

**OSHA Carcinogens:** Not applicable

## Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data: No data available.

## Reproductive toxicity

### **Assessment:**

Suspected of damaging fertility or the unborn child.

# Product data: No data available.

Substance data:

Name	Result
4-nonylphenol, branched	Suspected of damaging fertility or the unborn child.

## Specific target organ toxicity (single exposure)

## **Assessment:**

May cause respiratory irritation.

# **Product data:** No data available.

#### Substance data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	May cause respiratory irritation.

## **Specific target organ toxicity (repeated exposure)**

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data: No data available.

## **Aspiration toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. Substance data:

Name	Result
Poly(propylene glycol) bis(2-aminopropyl ether)	May be fatal if swallowed and enters airways

## Information on likely routes of exposure:

No data available.

## Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

## Other information:

No data available.

# **SECTION 12: Ecological information**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 9 of 11

## **UVPoxy Part B**

## Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

**Substance data:** 

Name	Result
4-nonylphenol, branched	LC50 Lepomis macrochirus: 0.209 mg/L (96 Hours)
	EC50 Daphnia magna: 0.0844 mg/L (48 Hours)
	EC50 Selenastrum capricornutum (green algae): 0.33 mg/L (72 Hours)
Poly(propylene glycol) bis(2-	ErC50 Pseudokirchneriella subcapitata: 15.0 mg/L (72 hr)
aminopropyl ether)	LC50 Daphnia Magna: 0.085 mg/L (4 hr)
	EC50 Pimephales promelas: 0.096 mg/L (96 hr - growth)

## Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

### **Substance data:**

Name	Result
4-nonylphenol, branched	NOEC Oncorhynchus mykiss: 0.006 mg/L (91 days)
	NOEC Daphnia magna: 0.024 mg/L (21 days)
	NOEC Selenastrum capricornutum: 0.694 mg/L (96 hr)
Poly(propylene glycol) bis(2- aminopropyl ether)	NOEC 0.024: Daphnia Magna mg/L (21 day - reproduction)

## Persistence and degradability

Product data: No data available.

# **Substance data:**

Name	Result
4-nonylphenol, branched	Inherently biodegradable (48.2% degradation after 35 days).

## **Bioaccumulative potential**

Product data: No data available.

### **Substance data:**

Name	Result
4-nonylphenol, branched	Low potential to bioaccumulate (BCF: 576 dimensionless [whole body]).

# Mobility in soil

Product data: No data available.

### Substance data:

Name	Result
4-nonylphenol, branched	Hardly mobile (Koc: 11,060 dimensionless).

## Results of PBT and vPvB assessment

### **Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

### **Substance data:**

### **PBT** assessment:

4-nonylphenol, branched	It is concluded that nonylphenol is not bioaccumulative (B) within the PBT criteria.
vPvB assessment:	
4-nonylphenol, branched	It is concluded that nonylphenol is not very bioaccumulative (vB) within the PBT criteria.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 10 of 11

# **UVPoxy Part B**

Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

## **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# Contaminated packages:

Not determined or not applicable.

# **SECTION 14: Transport information**

# United States Transportation of dangerous goods (49 CFR DOT)

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol
UN transport hazard class(es)	8
Packing group	III
Environmental hazards	Marine Pollutant Nonylphenol
Special precautions for user	None

## **International Maritime Dangerous Goods (IMDG)**

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol
UN transport hazard class(es)	8
Packing group	III
Environmental hazards	Marine Pollutant Nonylphenol
Special precautions for user	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive N.O.S. Polyoxypropylenediamine, Nonylphenol
UN transport hazard class(es)	8
Packing group	III
Environmental hazards	Marine Pollutant Nonylphenol
Special precautions for user	None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.12.2021 Page 11 of 11

**UVPoxy Part B** 

## **SECTION 15: Regulatory information**

### **United States regulations**

**Inventory listing (TSCA):** All ingredients are listed-active or exempt.

## Significant New Use Rule (TSCA Section 5):

84852-15-3	4-nonylphenol, branched	Listed
9046-10-0		Not Listed

## **Export notification under TSCA Section 12(b):**

84852-15-3	4-nonylphenol, branched	Listed
9046-10-0	1 34 13 33 / 1 13 /	Not Listed

**SARA Section 302 extremely hazardous substances:** None of the ingredients are listed.

### **SARA Section 313 toxic chemicals:**

84852-15-3	4-nonviphenol, branched	Listed
	[ · · · · · · · · · · · · · · · · · · ·	

**CERCLA:** None of the ingredients are listed. **RCRA:** None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

## Massachusetts Right to Know:

104032 13 3 14 Horry priction, brutteried	84852-15-3	4-nonylphenol, branched	Listed
---	------------	-------------------------	--------

**New York Right to Know:** None of the ingredients are listed. **New York Right to Know:** None of the ingredients are listed.

## Pennsylvania Right to Know:

84852-15-3	4-nonylphenol, branched	Listed
04032-13-3	4-nonyiphenoi, branched	Listen

California Proposition 65: None of the ingredients are listed.

## **SECTION 16: Other information**

## Abbreviations and Acronyms: None

### **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0 **HMIS:** 0-0-0

**Initial preparation date:** 02.12.2021

**End of Safety Data Sheet**