

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 1 of 13

BioPoxy 36 Part B

SECTION 1: Identification

Product identifier

Product name: BioPoxy 36 Part B

Product code: EPBPH36

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Canada

EcoPoxy Inc

Box 220

Morris, Manitoba R0G1K0Largo, Florida 33773

855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Supplier:

United States

EcoPoxy USA, Inc

7003 114th Ave. N.

Largo, Florida 33773

1-855-326-7699

info@ecopoxy.com

http://www.ecopoxy.com

Emergency telephone number:

ChemTel

ChemTel Inc

+1 813 248 0585 (24)

United States

ChemTel Inc (US)

+1 800 255 3924 (24)

SECTION 2: Hazard(s) identification

GHS classification:

Skin corrosion, category 1B

Serious eye damage, category 1

Skin sensitization, category 1

Germ cell mutagenicity, category 2

Carcinogenicity, category 1B

Reproductive toxicity, category 1B

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 2 of 13

BioPoxy 36 Part B

H317 May cause an allergic skin reaction

H341 Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H350 May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H360 May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H335 May cause respiratory irritation

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P271 Use only outdoors or in a well-ventilated area

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 Immediately call a POISON CENTER/doctor/...

P321 Specific treatment (No specific treatment)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302+P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P308+P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER/doctor/.../if you feel unwell

P405 Store locked up

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 72361-54-7	Formaldehyde, reaction products with bisphenol A and diethylenetriamine	>45
CAS number: 100-51-6	Benzyl Alcohol	4-20
CAS number: 80-05-7	Bisphenol A	4-20
CAS number: 111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	4-20

Additional Information: None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 3 of 13

BioPoxy 36 Part B

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After skin contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 4 of 13

BioPoxy 36 Part B

Exposure may cause genetic defects. Effects are dependent on exposure (dose, concentration, contact time).

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Immediate medical attention and special treatment

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

If respiratory symptoms persist, seek medical attention.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways.

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 5 of 13

BioPoxy 36 Part B

clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Benzyl Alcohol	100-51-6	TWA: 44.2 mg/m ³ (10 ppm)
NIOSH	1,2-Ethanediamine, N1-(2-aminoethyl)-	111-40-0	TWA: 1 ppm (4.0 mg/m ³)
ACGIH	1,2-Ethanediamine, N1-(2-aminoethyl)-	111-40-0	TWA: 1 ppm
United States	1,2-Ethanediamine, N1-(2-aminoethyl)-	111-40-0	TWA: 400 mg/m ³ (100 ppm)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 6 of 13

BioPoxy 36 Part B

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent). Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).
Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.
If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid
------------	--------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 7 of 13

BioPoxy 36 Part B

Odor	Amine-like
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	205°C (401 °F)
Flash point (closed cup)	96°C (203 °F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	< 1.0 hPa (< 1.0 mm Hg) (Estimated)
Vapor density	Not determined or not available.
Density	1.0 g/cm ³ at 20°C
Relative density	Not determined or not available.
Solubilities	Fully miscible in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Product is not selfigniting.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Product does not present an explosion hazard.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

None known.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 8 of 13

BioPoxy 36 Part B

Name	Route	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	oral	LD50 Rat: 100 mg/kg
	dermal	LD50 Rabbit: 270 mg/kg
Benzyl Alcohol	oral	LD50 Rabbit: 1040 mg/kg
	inhalation	LC50 Rat: 4.178 mg/L (4 hr (aerosol))
	dermal	LD50 Rabbit: >2000 mg/kg
1,2-Ethanediamine, N1-(2-aminoethyl)-	dermal	LD50 Rabbit: 1090 mg/kg
	oral	LD50 Rat: 1080 mg/kg

Skin corrosion/irritation

Assessment:

Causes severe skin burns and eye damage.

Product data:

No data available.

Substance data:

Name	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Causes skin corrosion.
1,2-Ethanediamine, N1-(2-aminoethyl)-	Causes severe skin burns.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

Name	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Causes serious eye damage.
Bisphenol A	Causes serious eye damage.
1,2-Ethanediamine, N1-(2-aminoethyl)-	Causes serious eye damage.

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction.

Product data:

No data available.

Substance data:

Name	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	May cause an allergic skin reaction.
Bisphenol A	May cause an allergic skin reaction.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 9 of 13

BioPoxy 36 Part B

Name	Result
1,2-Ethanediamine, N1-(2-aminoethyl)-	May cause an allergic skin reaction.

Carcinogenicity

Assessment:

May cause cancer.

Product data: No data available.

Substance data:

Name	Species	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine		Component may cause cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Group 1
Benzyl Alcohol	Not Applicable
1,2-Ethanediamine, N1-(2-aminoethyl)-	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Known to be human carcinogens
Benzyl Alcohol	Not Applicable
1,2-Ethanediamine, N1-(2-aminoethyl)-	Not Applicable

OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	72361-54-7	Yes

Germ cell mutagenicity

Assessment:

Suspected of causing genetic defects.

Product data:

No data available.

Substance data:

Name	Result
Formaldehyde, reaction products with bisphenol A and diethylenetriamine	Suspected of causing genetic defects.

Reproductive toxicity

Assessment:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 10 of 13

BioPoxy 36 Part B

May damage fertility or the unborn child.

Product data:

No data available.

Substance data:

Name	Result
Bisphenol A	May damage fertility.

Specific target organ toxicity (single exposure)

Assessment:

May cause respiratory irritation.

Product data:

No data available.

Substance data:

Name	Result
Bisphenol A	May cause respiratory irritation.
1,2-Ethanediamine, N1-(2-aminoethyl)-	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	LC50 Pimephales promelas: 460 mg/L (96 hr)
	EC50 Daphnia magna: 230 mg/L (48 hr)
	EC50 Pseudokirchnerella subcapitata: 770 mg/L (72 hr)
	EC50 Nitrosomonas: 390 mg/L (24 hr)
1,2-Ethanediamine, N1-(2-aminoethyl)-	LC50 Poecilia reticulata: 430 mg/L

Chronic (long-term) toxicity

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 11 of 13

BioPoxy 36 Part B

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	NOEC Freshwater fish: 48.897 mg/L (30 d)
	NOEC Daphnia magna: 51 mg/L (21 d)
1,2-Ethanediamine, N1-(2-aminoethyl)-	NOEC Daphnia magna: 5.6 mg/L (21 d)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	Readily biodegradable in water (92-96% degradation after 14 days).
1,2-Ethanediamine, N1-(2-aminoethyl)-	Readily biodegradable in water (87% degradation after 21 days).

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	Not expected to bioaccumulate (log Kow = 1.1).
1,2-Ethanediamine, N1-(2-aminoethyl)-	No bioaccumulation is expected (BCF: >2.8 - <=6.3).

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Benzyl Alcohol	Low potential for adsorption (log Koc = 15.7).
1,2-Ethanediamine, N1-(2-aminoethyl)-	Slightly to hardly mobile (log Koc: >=3.4 - <=4.6).

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Benzyl Alcohol	The substance is not PBT.
1,2-Ethanediamine, N1-(2-aminoethyl)-	The substance is not PBT.

vPvB assessment:

Benzyl Alcohol	The substance is not vPvB.
1,2-Ethanediamine, N1-(2-aminoethyl)-	The substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 12 of 13

BioPoxy 36 Part B


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:


Not determined or not applicable.

SECTION 14: Transport information


United States Transportation of dangerous goods (49 CFR DOT)

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive, N.O.S. (Diethylenetriamine)
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive, N.O.S. (Diethylenetriamine)
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	2735
UN proper shipping name	Amines, Liquid, Corrosive, N.O.S. (Diethylenetriamine)
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 313 toxic chemicals:

80-05-7	Bisphenol A	Listed
---------	-------------	--------

CERCLA: None of the ingredients are listed.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.21.2021

Page 13 of 13

BioPoxy 36 Part B

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed

New Jersey Right to Know:

80-05-7	Bisphenol A	Listed
111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed

New York Right to Know:

100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed

Pennsylvania Right to Know:

100-51-6	Benzyl Alcohol	Listed
80-05-7	Bisphenol A	Listed
111-40-0	1,2-Ethanediamine, N1-(2-aminoethyl)-	Listed

California Proposition 65:

⚠️WARNING: This product can expose you to Bisphenol A; which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial preparation date: 05.21.2021

End of Safety Data Sheet