



Page 1/13

CE Part # 20768-Gallon

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

1 Identification

- · Product identifier
- · Trade name: SikaBiresin CH86-2 (B)
- · Article number: 656805-1
- · Application of the substance / the mixture Epoxy curing agent
- · Details of the supplier of the safety data sheet

Sika Advanced Resins, US

EHS Department

advanced.resins.ehs@us.sika.com

· Manufacturer/Supplier:

Manufacturer:

Sika Advanced Resins

30800 Stephenson Hwy

Madison Heights

MI 48071

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normalopening times: +1 (248) 588-2270 CHEMTREC 24-hour Emergency: +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. Eye Damage 1



Acute Toxicity - Oral 4 H302 Harmful if swallowed. Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Page 2/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 1)

· Hazard pictograms







GHS05

GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

1,6-Hexanediamine, 2,2,4 (or 2,4,4)-trimethyl-

m-phenylenebis(*methylamine*)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

4-tert-butylphenol

· Hazard statements

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)





Page 3/13

Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/31/2023 Printing date 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 2)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*3 *Health* = *3 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 25513-64-8 EINECS: 247-134-8	1,6-Hexanediamine, 2,2,4 (or 2,4,4)-trimethyl-	20-50%
CAS: 98-54-4 EINECS: 202-679-0	4-tert-butylphenol	10-20%
CAS: 1477-55-0 EINECS: 216-032-	m-phenylenebis(methylamine)	10-20%
CAS: 2579-20-6 EINECS: 219-941-	1,3-Cyclohexanedimethanamine	10-20%
CAS: 2855-13-2 EINECS: 220-666-6	3-aminomethyl-3,5,5-trimethylcyclohexylamine	10-20%
CAS: 90-72-2 EINECS: 202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	1-5%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 4)

Page 4/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 3)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)





Page 5/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

· Protective Action Criteria for Chemicals	(Contd. of page
· PAC-1:	
98-54-4 4-tert-butylphenol	1.5 mg/m ³
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	6.5 mg/m ²
· PAC-2:	·
98-54-4 4-tert-butylphenol	40 mg/m
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	72 mg/m [±]
· PAC-3:	
98-54-4 4-tert-butylphenol	240 mg/m
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	430 mg/m ⁻

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 6)





Page 6/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 5)

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Light amber
Odor: Amine-like
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: >200 °C (>392 °F)

(Contd. on page 7)





Page 7/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

		(Contd. of page
· Flash point:	110 °C (230 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto igniting:	510 °C (950 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.92 g/cm³ (7.68 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	t er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	35.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 8)



Page 8/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. of page 7)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

 25513-64-8 1,6-Hexanediamine, 2,2,4 (or 2,4,4)-trimethyl

 Oral
 LD50
 900 mg/kg (rat)

 98-54-4 4-tert-butylphenol

 Oral
 LD50
 2,951 mg/kg (rat)

 Dermal
 LD50
 2,288 mg/kg (rabbit)
 - Primary irritant effect:
 - · on the skin: Caustic effect on skin and mucous membranes.
 - · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

25513-64-8 1,6-Hexanediamine, 2,2,4 (or 2,4,4)-trimethyl-

72 or 96 hr ErC50 | 43.5 mg/l (Algea)

(Contd. on page 9)

IIS -



Page 9/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

		(Contd. of page 8)
NOEC	16 mg/l (Algea)	
98-54-4 4-tert-butylphenol		
48 hr EC50	3.4 mg/l (daphnia)	
96 hr LC50	4.71 mg/l (Fathead minnow)	

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1760
DOI, IMDO, IAIA	01(1700
· UN proper shipping name	
$\cdot DOT$	Corrosive liquids, n.o.s. (m-phenylenebis(methylamine)
	Trimethylhexamethylenediamines)
· IMDG	CORROSIVE LIQUID, N.O.S. (m-phenylenebis(methylamine)
	TRIMETHYLHEXAMETHYLENEDIAMINES), MARINI
	POLLUTANT
· IATA	CORROSIVE LIQUID, N.O.S. (m-phenylenebis(methylamine)
	TRIMETHYLHEXAMETHYLENEDIAMINES)

(Contd. on page 10)



Page 10/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 9) · Transport hazard class(es) $\cdot DOT$ · Class 8 Corrosive substances · Label \cdot *IMDG* · Class 8 Corrosive substances · Label \cdot IATA · Class 8 Corrosive substances · Label · Packing group · DOT, IMDG, IATA II · Environmental hazards: Product contains environmentally hazardous substances: 4-tertbutylphenol · Marine pollutant: Yes (DOT) Symbol (fish and tree) Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B· Segregation groups (SGG18) Alkalis · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code

(Contd. on page 11)



Page 11/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

	(Contd. of page 1
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
Remarks:	Special marking with the symbol (fish and tree).
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (M
<u> </u>	PHENYLENEBIS (METHYLAMINE)
	TRIMETHYLHEXAMETHYLENEDIAMINES), 8, 1
	ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Chemicals regulated by TSCA Section 12(b)

None of the ingredients is listed.

· Chemical regulated by TSCA 5(a)(2)rule:

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 12)

-US



Page 12/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 11)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Listed in CWC Regulations

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

S05 GHS07

07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

1,6-Hexanediamine, 2,2,4 (or 2,4,4)-trimethyl-m-phenylenebis(methylamine)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

4-tert-butylphenol

· Hazard statements

 ${\it Harmful\ if\ swallowed\ or\ if\ inhaled}.$

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 13)



Page 13/13

Safety Data Sheet acc. to OSHA HCS

Printing date 10/31/2023 Reviewed on 10/31/2023

Trade name: SikaBiresin CH86-2 (B)

(Contd. of page 12)

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 10/31/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Toxic to Reproduction 2: Reproductive toxicity – Category 2

* Data compared to the previous version altered.