

*Page 1/9* 

### CE Part # 20760

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

#### 1 Identification

- · Product identifier
- · Trade name: Pattern Plank PP-1052 Red
- · Article number: PP1052R
- · Application of the substance / the mixture Urethane Board
- Details of the supplier of the safety data sheet

Sika Advanced Resins, US

EHS Department

· Manufacturer/Supplier:

Supplier's Name: Sika Advanced Resins, US

Headquarters:

30800 Stephenson Hwy Madison Heights, MI 48071

USA

advancedresins.ehs@us.sika.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (248) 588-2270 CHEMTREC 24-hour Emergency: +1 (800) 424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

(Contd. on page 2)



Page 2/9

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

· HMIS-ratings (scale 0 - 4)

 $\begin{array}{c|cccc} \textbf{HEALTH} & \textbf{0} & Health = 0 \\ \textbf{FIRE} & \textbf{0} & Fire = 0 \\ \textbf{REACTIVITY} & \textbf{0} & Reactivity = 0 \\ \end{array}$ 

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description Rigid Polymeric Block

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Dust: Rinse opened eye for several minutes under running water, then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

US

Page 3/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- **PAC-1**:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Provide suction extractors if dust is formed.

Extractors are required on all machines used for thermal processing or splinter removal processes.

Any deposit of dust which cannot be avoided must be regularly removed.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

No special measures required.

· Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

The product forms flammable fumes when heated.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



*Page 4/9* 

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Dust mask
- Protection of hands:

Wear gloves for the protection against mechanical hazards according to EN 388.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · **Body protection:** Protective work clothing

|     | • 1   | , ,   | 7       |            |
|-----|-------|-------|---------|------------|
| UPA | 10100 | and   | homical | nvonovtios |
|     | Butul | unu c | петиси  | properties |

| Information on basic physical and | chemical properties       |  |
|-----------------------------------|---------------------------|--|
| General Information               |                           |  |
| Appearance:                       |                           |  |
| Form:                             | Solidified mass           |  |
| Color:                            | Red                       |  |
| Odor:                             | Odorless                  |  |
| Odor threshold:                   | Not determined.           |  |
| pH-value:                         | Not applicable.           |  |
| Change in condition               |                           |  |
| Melting point/Melting range:      | Undetermined.             |  |
| Boiling point/Boiling range:      | Undetermined.             |  |
| Flash point:                      | Not applicable.           |  |
| Flammability (solid, gaseous):    | Product is not flammable. |  |
| Decomposition temperature:        | Not determined.           |  |
| Auto igniting:                    | Not determined.           |  |

(Contd. on page 5)



Page 5/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

|                                     |                                               | (Contd. of page |
|-------------------------------------|-----------------------------------------------|-----------------|
| Danger of explosion:                | Product does not present an explosion hazard. |                 |
| Explosion limits:                   |                                               |                 |
| Lower:                              | Not determined.                               |                 |
| Upper:                              | Not determined.                               |                 |
| Vapor pressure:                     | Not applicable.                               |                 |
| Density at 20 °C (68 °F):           | 1.14 g/cm³ (9.51 lbs/gal)                     |                 |
| Relative density                    | Not determined.                               |                 |
| Vapor density                       | Not applicable.                               |                 |
| Evaporation rate                    | Not applicable.                               |                 |
| Solubility in / Miscibility with    |                                               |                 |
| Water:                              | Insoluble.                                    |                 |
| Partition coefficient (n-octanol/wa | <b>iter):</b> Not determined.                 |                 |
| Viscosity:                          |                                               |                 |
| Dynamic:                            | Not applicable.                               |                 |
| Kinematic:                          | Not applicable.                               |                 |
| VOC content:                        | 0.00%                                         |                 |
| Solids content:                     | 100.0 %                                       |                 |
| Other information                   | No further relevant information available.    |                 |

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

Page 6/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 5)

· Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The generation of the waste should be minimized whenever possble. Disposal of this product must comply with the requirements of the the national and local regulations.

Smaller quantities can be disposed of with household waste.

(Contd. on page 7)



Page 7/9

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number                            |                         |  |
|--------------------------------------|-------------------------|--|
| DOT, ADN, IMDG, IATA                 | not regulated           |  |
| UN proper shipping name              | Solid Plastic Mass, NOI |  |
| DOT, ADN, IMDG, IATA                 | not regulated           |  |
| Transport hazard class(es)           | Not regulated           |  |
| DOT, ADN, IMDG, IATA                 |                         |  |
| Class                                | not regulated           |  |
| Packing group                        | Not regulated           |  |
| DOT, IMDG, IATA                      | not regulated           |  |
| Environmental hazards:               |                         |  |
| Marine pollutant:                    | No                      |  |
| Special precautions for user         | Not applicable.         |  |
| Transport in bulk according to Annex | II of                   |  |
| MARPOL73/78 and the IBC Code         | Not applicable.         |  |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

*ACTIVE* 

· Chemicals regulated by TSCA Section 12(b)

Substance is not listed.

· Chemical regulated by TSCA 5(a)(2)rule:

Substance is not listed.

(Contd. on page 8)



*Page 8/9* 

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2020 Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 7)

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Listed in CWC Regulations

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 09/11/2018 / 11
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)

Page 9/9

# Safety Data Sheet acc. to OSHA HCS

*Printing date 02/11/2020* Reviewed on 09/11/2018

Trade name: Pattern Plank PP-1052 Red

(Contd. of page 8)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic PB1: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit